Contents to volume 215

Review Letter

Cell lineage in development (FEB 04592) *G.S. Stent* 1

Research Letters

ATP-sensitive K^+ channels in human isolated pancreatic B-cells (FEB 04627) *F.M. Ashcroft, M. Kakei, R.P. Kelly, R. Sutton* 9

Temporal relationships in the effects of protein-free diet on the activities of rat liver branched-chain ketoacid dehydrogenase complex and kinase (FEB 04640) *M. Beggs, H. Patel, J. Espinal, P.J. Randle* 13

Evidence for a second phosphorylation site on eIF-2α from rabbit reticulocytes (FEB 04628) *W. Kudlicki, R.E.H. Wettenhall, B.E. Kemp, R. Szyszka, G. Kramer, B. Hardesty* 16

A new method for the selective isolation of phosphoserine-containing peptides (FEB 04633) *C.F.B. Holmes* 21

Phosphorylation of spinach chlorophyll-protein complexes: CPII*, but not CP29, CP27, or CP24, is phosphorylated in vitro (FEB 04625) *T.G. Dunahay, G. Schuster, L.A. Staehelin* 25

Difference in sensitivity to photoinhibition between photosystem II in the appressed and non-appressed thylakoid regions (FEB 04623) *P. Mäenpää, B. Andersson, C. Sundby* 31

Chemical cross-linking of ferredoxin to spinach thylakoids: Evidence for two independent binding sites of ferredoxin to the membrane (FEB 04639) *G. Merati, G. Zanetti* 37

Iron transfer from ferritin to transferrin: Effect of serum factors (FEB 04626) *Y. Jin, R.R. Crichton* 41

ADP- or pyrophosphate-dependent proton pumping of pea stem tonoplast-enriched vesicles (FEB 04593) *F. Macrì, A. Vianello* 47

Proton translocation coupled to methanogenesis from methanol + hydrogen in *Methanosarcina barkeri* (FEB 04624) *M. Blaut, V. Müller, G. Gottschalk* 53

Is phylloquinone an obligate electron carrier in photosystem I? (FEB 04636) *G.P. Palace, J.E. Franke, J.T. Warden* 58

Isolation and characterization of a rubredoxin and a flavodoxin from *Desulfovibrio desulfuricans* Berre-Eau (FEB 04630) *G.D. Fauque, I. Moura, J.J.G. Moura, A.V. Xavier, N.Galliano, J. LeGall* 63

Chronic exposure to dexamethasone induces hypomethylation of ornithine decarboxylase genes in a human myeloma cell line (FEB 04629) *P. Leinonen, L. Alhonen-Hongisto, R. Laine, O.A. Jänne, J. Jänne* 68

Diphtheria toxin and its mutant *crm* 197 differ in their interaction with lipids (FEB 04584) *E. Papini, R. Colonna, G. Schiavo, F. Cusinato, M. Tomasi, R. Rappuoli, C. Montecucco* 73

Manganese elicits the synthesis of a novel exopolysaccharide in an arctic *Rhizobium* (FEB 04617) *V.D. Appanna, C.M. Preston* 79

Fast abortive initiation of uvrA promoter in a supercoiled plasmid studied by stopped-flow techniques (FEB 04609) *E. Bertrand-Burggraf, C. Ling, M. Schnarr, J.F. Lefèvre, J. Pouyet, M. Daune* 83

A ^{1}H-NMR study of the solution conformation of secretin: Resonance assignment and secondary structure (FEB 04622) *A.M. Gronenborn, G. Bovermann, G.M. Clore* 88

Theoretical study on binding of Hoechst 33258 with oligonucleotides (FEB 04631) *K. Gopalakrishna, A. Kalia, A.K. Royyuru, Mrigank, M. Atreyi, M.V.R. Rao, V. Kothekar* 95

The cDNA-deduced primary structure of human sex hormone-binding globulin and location of its steroid-binding domain (FEB 04635) *G.L. Hammond, D.A. Underhill, C.L. Smith, I.S. Goping, M.J. Harley, N.A. Musto, C.Y. Cheng, C.W. Bardin* 100

Published by Elsevier Science Publishers B.V. (Biomedical Division)
00145793/87/$3.50 © 1987 Federation of European Biochemical Societies

Apolipoprotein A-I-binding protein from human term placenta: Purification and partial characterization (FEB 04610) *L. Keso, M. Lukka, C. Ehnholm, M. Baumann, P. Vihko, M. Olkinuora* 105
Interaction of protein synthesis initiation factor 2 from *Xenopus laevis* oocytes with GDP and GTP analogs (FEB 04637) *P. Carvallo, J.E. Allende* 109
The NH_2-terminal cleavage of *Escherichia coli* translational initiation factor IF3: A mechanism to control the intracellular level of the factor? (FEB 04647) *M. Lammi, C.L. Pon, C.O. Gualerzi* 115
Expression of insulin-like growth factor-I and -II genes in rat medullary thyroid carcinoma (FEB 04650) *J.W.M. Höppener, P.H. Steenbergh, R.J.C. Slebos, P. de Pagter-Holthuizen, B.A. Roos, M. Jansen, J.L. Van den Brande, J.S. Sussenbach, H.S. Jansz, C.J.M. Lips* 122
Patterns of gene expression during plasmacytoid differentiation of chronic lymphocytic leukaemia cells (FEB 04655) *J.D. Norton, B. Leber, J.C. Yaxley* 127
Processing of precursor tRNAs in a chloroplast lysate: Processing of the 5′-end involves endonucleolytic cleavage by an RNase P-like enzyme and precedes 3′-end maturation (FEB 04652) *K. Yamaguchi-Shinozaki, K. Shinozaki, M. Sugiura* 132
Mucin-carbohydrate directed monoclonal antibody (FEB 04642) *A. Kurosaka, S. Fukui, H. Kitagawa, H. Nakada, Y. Numata, I. Funakoshi, T. Kawasaki, I. Yamashina* 137
Isolation and characterization of a lectin with exclusive specificity towards mannose from snowdrop (*Galanthus nivalis*) bulbs (FEB 04643) *E.J.M. Van Damme, A.K. Allen, W.J. Peumans* 140
Predicted structure of tail-fiber proteins of T-even type phages (FEB 04648) *I. Riede, H. Schwarz, F. Jähnig* 145
Iron binding to microsomes and liposomes in relation to lipid peroxidation (FEB 04634) *G.F. Vile, C.C. Winterbourn* 151
The effect of pH on the conformation and stability of the structure of plant toxin – ricin (FEB 04641) *T.L. Bushueva, A.G. Tonevitsky* 155
N-terminal-methionylated interleukin-1β has reduced receptor-binding affinity (FEB 04656) *P. Wingfield, P. Graber, N.R. Movva, A.M. Gronenborn, H.R. MacDonald* 160
Mode of disulfide bond formation of a heat-stable enterotoxin (ST_h) produced by a human strain of enterotoxigenic *Escherichia coli* (FEB 04638) *Y. Shimonishi, Y. Hidaka, M. Koizumi, M. Hane, S. Aimoto, T. Takeda, T. Miwatani, Y. Takeda* 165
On the role of the light-harvesting B880 in the correct insertion of the reaction center of *Rhodobacter capsulatus* and *Rhodobacter sphaeroides* (FEB 04651) *W.J. Jackson, P.J. Kiley, C.E. Haith, S. Kaplan, R.C. Prince* 171
12-*O*-Tetradecanoyl phorbol 13-acetate stimulates the myristylation of an ~82 kDa protein in HL-60 cells (FEB 04660) *E. Malvoisin, F. Wild, G. Zwingelstein* 175
Glucose stimulates the biosynthesis of rat I and II insulin to an equal extent in isolated pancreatic islets (FEB 04653) *C.J. Rhodes, C.A. Lucas, P.A. Halban* 179
cAMP reduces the affinity of Ca^{2+}-triggered secretion in platelets (FEB 04657) *J.M. Collazos, A. Sanchez* 183
A positive relationship between protein synthetic rate and intracellular glutamine concentration in perfused rat skeletal muscle (FEB 04654) *P.A. MacLennan, R.A. Brown, M.J. Rennie* 187

Correspondence

Misunderstanding or misrepresentation?: 'Reticulocyte lipoxygenase, ingensin, and ATP-dependent proteolysis' by Shoichi Ishiura, Tanihiro Yoshimoto and Claude A. Villee [(1986) FEBS Lett. 201, 87–93] (FEB 04645) *S. Rapoport* 193
ATP-dependent proteolysis, a fine system or a meaningless one? A reply (FEB 04646) *S. Ishiura, T. Yoshimoto, C.A. Villee* 195

Notes to Authors 197

FEBS NEWS

FEBS Officers, Advanced Courses 1987 and Guidelines for Fellowships 199

Research Letters

N^6-substituted 9-methyladenines: a new class of adenosine receptor antagonists (FEB 04661) *D. Ukena, W.L. Padgett, O. Hong, J.W. Daly, D.T. Daly, R.A. Olsson* 203
Phycobilisome-associated glycoproteins in the cyanobacterium *Anacystis nidulans* R 2 (FEB 04662) *H.C. Riethman, T.P. Mawhinney, L.A. Sherman* 209
Nuclear Overhauser effects in linear peptides: A low-temperature 500 MHz study of Met-enkephalin (FEB 04667) *A. Motta, T. Tancredi, P.A. Temussi* 215
The mechanism of cathode reduction of oxygen in a carbon carrier-laccase system (FEB 04681) *A.M. Kuznetsov, V.A. Bogdanovskaya, M.R. Tarasevich, E.F. Gavrilova* 219
Control of cytoplasmic pH by Na^+/H^+ exchange in rat peritoneal macrophages activated with phorbol ester (FEB 04658) *O.D. Rotstein, K. Houston, S. Grinstein* 223
β-oxidation of polyunsaturated fatty acids in peroxisomes: Subcellular distribution of Δ^3,Δ^2-enoyl-CoA isomerase activity in rat liver (FEB 04659) *T. Kärki, E. Hakkola, I.E. Hassinen, J.K. Hiltunen* 228
Evidence for a signal peptide at the amino-terminal end of human mitochondrial aldehyde dehydrogenase (FEB 04668) *T. Braun, E. Bober, S. Singh, D.P. Agarwal, H.W. Goedde* 233
Characterization of protamines from four avian species (FEB 04669) *M. Chiva, H.F. Kasinsky, J.A. Subirana* 237
Polycation-dependent, Ca^{2+}-antagonized phosphorylation of calmodulin by casein kinase-2 and a spleen tyrosine protein kinase (FEB 04670) *F. Meggio, A.M. Brunati, L.A. Pinna* 241
Radish mosaic virus VPg: Characteristics and linkage with virion RNAs (FEB 04665) *Yu.F. Drygin, M.V. Sapotsky, A.A. Bogdanov* 247
Increased synthesis of poly(ADP-ribose) in isolated liver nuclei from autoimmune NZB/NZW mice (FEB 04672) *B.L. Haug, J.T. Sibley, J.S. Lee* 252
Localization of possible functional domains in *sup*2 gene product of the yeast *Saccharomyces cerevisiae* (FEB 04683) *V.V. Kushnirov, M.D. Ter-Avanesyan, A.P. Surguchov, V.N. Smirnov, S.G. Inge-Vechtomov* 257
The amphiphilicity of ACP helices: a means of macromolecular interaction? (FEB 04682) *M.L. Ernst-Fonberg, M. McGee Tucker, I.B. Fonberg* 261
Effect of echinomycin on DNA methylation (FEB 04680) *R.L.P. Adams, A. Rinaldi* 266
Localization of the cellular-fibronectin-specific epitope recognized by the monoclonal antibody IST-9 using fusion proteins expressed in *E. coli* (FEB 04684) *B. Carnemolla, L. Borsi, L. Zardi, R.J. Owens, F.E. Baralle* 269
A fragment of an endogenous inhibitor produced in *Escherichia coli* for calcium-activated neutral protease (CANP) retains an inhibitory activity (FEB 04649) *S. Imajoh, H. Kawasaki, Y. Emori, S. Ishiura, Y. Minami, H. Sugita, K. Imahori, K. Suzuki* 274
Phorbol ester-induced protein phosphorylation and contraction in sphincter smooth muscle of rabbit iris (FEB 04673) *P.H. Howe, A.A. Abdel-Latif* 279
The amino acid sequence of the aliphatic amidase from *Pseudomonas aeruginosa* (FEB 04674) *R.P. Ambler, A.D. Auffret, P.H. Clarke* 285
The nucleotide sequence of the *amiE* gene of *Pseudomonas aeruginosa* (FEB 04675) *W.J. Brammar, I.G. Charles, M. Matfield, L. Cheng-Pin, R.E. Drew, P.H. Clarke* 291
The stress-shock response of the bacterium *Methylophilus methylotrophus* (FEB 04676) *P.W. Watt, M.J. North* 295
The effect of the natural protein inhibitor on H^+-ATPase in hepatoma 22^a mitochondria (FEB 04685) *B.V. Chernyak, V.F. Dukhovich, E.Yu. Khodjaev* 300
The quantitation of biotinylated compounds by a solid-phase assay using a ^{125}I-labelled biotin derivative (FEB 04678) *P.J. Smith, R.M. Warren, C. von Holt* 305
Assignment of resonances for 'acute-phase' glycoproteins in high resolution proton NMR spectra of human blood plasma (FEB 04632) *J.D. Bell, J.C.C. Brown, J.K. Nicholson, P.J. Sadler* 311
Photoaffinity labelling of the TSH receptor on $FRTL_5$ cells (FEB 04687) *J. Furmaniak, F.A. Hashim, P.R. Buckland, V.B. Petersen, K. Beever, R.D. Howells, B. Rees Smith* 316

Transport of membrane receptors and the mechanics of sexual cell fusion in *Chlamydomonas eugametos* (FEB 04686) *W. Homan, C. Sigon, W. van den Briel, R. Wagter, H. de Nobel, D. Mesland, A. Musgrave, H. van den Ende* 323
Sequence-dependent hydrolysis of RNA using modified oligonucleotide splints and RNase H (FEB 04689) *H. Inoue, Y. Hayase, S. Iwai, E. Ohtsuka* 327
Elevated proα2(I) collagen mRNA levels in cultured scleroderma fibroblasts result from an increased transcription rate of the corresponding gene (FEB 04695) *V.-M. Kähäri, P. Multimäki, E. Vuorio* 331
Conjugation-dependent recovery of the Na^+ pump in a mutant of *Vibrio alginolyticus* lacking three subunits of the Na^+ pump (FEB 04696) *H. Tokuda, T. Udagawa, M. Asano, T. Yamamoto, T. Unemoto* 335
Presence of three pertussis toxin substrates and $G_o\alpha$ immunoreactivity in both plasma and granule membranes of chromaffin cells (FEB 04697) *M. Toutant, D. Aunis, J. Bockaert, V. Homburger, B. Rouot* 339
Differential effects of DNA tumor virus nuclear oncogene products on adipocyte differentiation (FEB 04692) *K. Tobe, M. Kasuga, H. Kitasato, F. Takaku, T. Takano, K. Segawa* 345

Author Index 350

Table of Contents 355

Notes to Authors 359

FEBS NEWS

A FEBS Advanced Course 1987 361